





190, Boul. St-Elzéar Ouest, Laval (Québec) H7L 3N3 T 450 669.8985 | 1 800 361.0877 F 450 669.9532 | 1 888 935.7001

www.medicaltronik.ca

Galaxy Treatment Tables





## Introduction

Chattanooga is the world's largest manufacturer of rehabilitation equipment for treating musculoskeletal, neurological and soft tissue disorders. For over six decades, Chattanooga has set a benchmark for leadership, reliability and excellence. Our products contribute to better treatment outcomes in hospitals, clinics and home settings worldwide. We lead the physiotherapy industry by example and, through continuous innovation, provide real world solutions for clinicians and their patients.

As the world's leading brand in rehabilitation, Chattanooga is sold in over 80 countries worldwide. Chattanooga is directly represented in our key markets but also has long lasting relationships with dedicated distributors in the USA, Canada, Latin America, EMEA and Asia Pacific. Our Chattanooga distributors and customers are supported for order placement, training, product delivery and after sales service by a dedicated team of highly skilled DJO employees based all over the world.

Chattanooga is a brand of DJO Global Inc. DJO Global provides solutions for musculoskeletal health, vascular health and pain management. Our products help prevent injuries or rehabilitate after surgery, injury or from degenerative disease, enabling patients to regain or maintain their natural motion.

Galaxy Tables are manufactured by Meden-Inmed Sp. z o.o. exclusively for Chattanooga. A DJO Global Company.

## Visit www.DJOglobal.eu




















# Contents

Introduction	1
Galaxy Tables	3
Galaxy 5 Section High-Low	4
Galaxy 4 Section High-Low	5
Galaxy 3 Section High-Low	6
Galaxy 2 Section High-Low Head Section	7
Galaxy 2 Section High-Low Back Section	8
Accessories	9
Warranty	10






# Galaxy 5 Section High-Low




## **Product features:**

- Fold-down armrests in head section
- Adjustable head section from +40 to -70 with gas spring
- Easy access foot switch, accessible from any position around the table 360°, for simple height adjustment
- Face hole on head section with removable face hole cover
- Adjustable leg section from o to 90 with gas spring
- Two-layer padding with non-flammable, bio-compatible and scratch resistant upholstery in many colours
- Powder coated, extremely stable scissor steel frame
- 2 side brackets for fixation of stabilization belts and elastic bands
- Traction support sleeves
- Personal Authorization System with 2 safety magnetic keys
- Hallotronic® System electric high/low height adjustment from 52 to 102 cm
- Non-slip rubber feet with 1 cm height adjustment allowing leveling of the table
- 2 types of frame:
  - -2 small wheels and 2 legs
  - -4 directional castors with central brake and 4 legs

## **Table Articulations/Dimensions**





## Ordering Information

Part I	Number	Description

Galaxy 5 Section High-Low Treatment Table		
3153-X	Galaxy 5 Section Electrical, All-round Switch, Castors	
3152-X	Galaxy 5 Section Electrical, All-round Switch	
3151-X	Galaxy 5 Section Hydraulic, Castors	
3150-X	Galaxy 5 Section Hydraulic	

Technical Specification	ns
Electrical	
Mains Power:	100 -240 Volt 50/60 Hz
Standby Consumption:	max. 1 A
Weight:	Standard 92 kg/4 Castors 104 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	52 - 102 cm
Electrical safety class:	Class II, Type B
Hydraulic Pump	
Weight:	Standard 93 kg/4 Castors 102 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	51 - 96 cm

Upholstery Color	Options	
Ecru-Crème	Beige	Blue
(x = 00)	(x = 01)	(X = O2)
Navy Blue	Terra Cotta	Chocolate
(x = 03)	(x = 04)	(x = o5)
Gray	Graphite Gray	Black
(x = 06)	(x = 07)	(x = 08)

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general guide only.

For ordering purposes, please use model number, hyphen, upholstery color number as indicated in the chart above.

## **Ordering Information**

Part Number Description

Galaxy 4 Section	High-Low Treatment Table
3143-X	Galaxy 4 Section Head-Rest, Electrical, All-round Switch, Castors
3142-X	Galaxy 4 Section Head-Rest, Electrical, All-round Switch
3141-X	Galaxy 4 Section Head-Rest, Hydraulic, Castors
3140-X	Galaxy 4 Section Head-Rest, Hydraulic

Technical Specifications	
Electrical	
Mains Power:	100 -240 Volt 50/60 Hz
Standby Consumption:	max. 1 A
Weight:	Standard 86 kg/4 Castors 98 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	52 - 102 cm
Electrical safety class:	Class II, Type B
Hydraulic Pump	
Weight:	Standard 87 kg/4 Castors 96 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	51 - 96 cm

## **Upholstery Color Options** Ecru-Crème Blue Beige (X = OO)(X = O1)(X = O2)Navy Blue Terra Cotta (x = 03)(X = O4)(x = 05)Graphite Gray Gray Black (x = 07)

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general

For ordering purposes, please use model number, hyphen, upholstery color number as indicated in the chart above.


# Galaxy 4 Section High-Low




## **Product features:**

- Fold-down armrests in head section
- Adjustable head section from +40 to -70 with gas spring
- Easy access foot switch, accessible from any position around the table 360°, for simple height adjustment
- Face hole on head section with removable face hole cover
- Two-layer padding with non-flammable, bio-compatible and scratchproof upholstery in many colours
- Powder coated, stable scissor steel frame
- 2 side brackets for fixation of stabilization belts and elastic bands
- Traction support sleeves
- Personal Authorization System with 2 safety magnetic keys
- Hallotronic® System electric high/low height adjustment from 52 to 102 cm with capacity up to 200 kg
- Non-slip rubber feet with 1 cm height adjustment allowing levelling of the table
- 2 types of frame:
  - -2 small wheels and 2 legs
  - -4 directional castors with central brake and 4 legs

## **Table Articulations/Dimensions**






# Galaxy 3 Section High-Low




## **Product features:**

- Adjustable head section from +40 to -70 with gas spring
- Easy access foot switch, accessible from any position around the table 360°, for simple height adjustment
- Face hole on head section with removable face hole cover
- Adjustable leg section from o to 90 with gas spring
- Two-layer padding with non-flammable, bio-compatible and scratch resistant upholstery in many colours
- Powder coated, extremely stable scissor steel frame
- 2 side brackets for fixation of stabilization belts and elastic bands
- Traction support sleeves
- Personal Authorization System with 2 safety magnetic keys
- Hallotronic® System electric high/low height adjustment from 52 to 102 cm
- Non-slip rubber feet with 1 cm height adjustment allowing leveling of the table
- 2 types of frame:
  - -2 small wheels and 2 legs
  - -4 directional castors with central brake and 4 legs

## **Table Articulations/Dimensions**





## Ordering Information

Part Number Descrip	otion
---------------------	-------

Galaxy 3 Section High-Low Treatment Table		
3133-X	Galaxy 3 Section Electrical, All-round Switch, Castors	
3132-X	Galaxy 3 Section Electrical, All-round Switch	
3131-X	Galaxy 3 Section Hydraulic, Castors	
3130-X	Galaxy 3 Section Hydraulic	

Electrical	
Mains Power:	100 -240 Volt 50/60 Hz
Standby Consumption:	max. 1 A
Weight:	Standard 87 kg/4 Castors 99 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	52 - 102 cm
Electrical safety class:	Class II, Type B
Hydraulic Pump	
Weight:	Standard 88 kg/4 Castors 97 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	51 - 96 cm

Upholstery Color Options		
Ecru-Crème	Beige	Blue
(x = 00)	(x = 01)	(x = 02)
Navy Blue	Terra Cotta	Chocolate
(x = o <sub>3</sub> )	(x = 04)	(x = o5)
Gray	Graphite Gray	Black
(x = 06)	(x = 07)	(x = 08)

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general guide only.

For ordering purposes, please use model number, hyphen, upholstery color number as indicated in the chart above.

### Part Number Description

**Ordering Information** 

Galaxy 2 Section	High-Low Treatment Table
3123-X	Galaxy 2 Section Head-Rest, Electrical, All-round Switch, Castors
3122-X	Galaxy 2 Section Head-Rest, Electrical, All-round Switch
3121-X	Galaxy 2 Section Head-Rest, Hydraulic, Casters
3120-X	Galaxy 2 Section Head-Rest, Hydraulic

Technical Specifications	
Electrical	
Mains Power:	100 -240 Volt 50/60 Hz
Standby Consumption:	max. 1 A
Weight:	Standard 81 kg/4 Castors 93 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	52 - 102 CM
Electrical safety class:	Class II, Type B
Hydraulic Pump	
Weight:	Standard 82 kg/4 Castors 91 kg
Shipping Weight:	Table Weight + 50 kg
Shipping Dimensions*:	220 cm x 85 cm x 77 cm
Lifting Capacity:	200 kg
Height Adjustment:	51 - 96 cm

## **Upholstery Color Options** Ecru-Crème Blue Beige (X = OO)(X = O1)(X = O2)Terra Cotta Navy Blue (x = 03)(x = 04)(x = 05)Black Gray **Graphite Gray** (x = 07)

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general

For ordering purposes, please use model number, hyphen, upholstery color number as indicated in the chart above.


# Galaxy 2 Section High-Low Head



## **Product features:**

- Adjustable head section from +40 to -70 with gas spring
- Face hole on head section with removable face hole cover
- Easy access foot switch, accessible from any position around the table 360°, for simple height adjustment
- Two-layer padding with non-flammable, bio-compatible and scratch resistant upholstery in many colours
- Powder coated, stable scissor steel frame
- 2 side brackets for fixation of stabilization belts and elastic bands
- Traction support sleeves
- Personal Authorization System with 2 safety magnetic keys
- Hallotronic® System electric high/low height adjustment from 52 to 102 cm with capacity up to 200 kg
- Non-slip rubber feet with 1 cm height adjustment allowing leveling of the table
- 2 types of frame:
  - -2 small wheels and 2 legs
  - -4 directional castors with central brake and 4 legs

## **Table Articulations/Dimensions**




# Galaxy 2 Section High-Low Back



## **Product features:**

- 2 section massage and treatment table
- Adjustable back section from +?? to -??with gas spring
- Face hole on head section with removable face hole cover
- Easy access foot switch, accessible from any position around the table 360°, for simple height adjustment
- Two-layer padding with non-flammable, bio-compatible and scratch resistant upholstery in many colours
- Powder coated, stable scissor steel frame
- 2 side brackets for fixation of stabilization belts and elastic bands
- Traction support sleeves
- Personal Authorization System with 2 safety magnetic keys
- Hallotronic® System electric high/low height adjustment from 52 to 102 cm with capacity up
- Non-slip rubber feet with 1 cm height adjustment allowing levelling of the table
- 2 types of frame:
  - -2 small wheels and 2 legs
  - -4 directional castors with central brake and 4 legs

## **Table Articulations/Dimensions**



## Ordering Information

Part	Number	Description
Part	Number	Description

Galaxy 2 Section High-Low Back Treatment Table				
3127-X	Galaxy 2 Section Back-Rest, Electrical, All-round Switch, Castors			
3126-X	Galaxy 2 Section Back-Rest, Electrical, All-round Switch			
3125-X	Galaxy 2 Section Back-Rest, Hydraulic, Castors			
3124-X	Galaxy 2 Section Back-Rest, Hydraulic			

## **Technical Specifications** Electrical Mains Power: 100 -240 Volt 50/60 Hz Standby Consumption: max. 1 A Standard 93 kg/ 4 Castors 105 kg Weight: Shipping Weight: Table Weight + 50 kg Shipping Dimensions\*: 220 cm x 85 cm x 77 cm Lifting Capacity: 200 kg Height Adjustment: 52 - 102 cm Electrical safety class: Class II, Type B **Hydraulic Pump** Weight: Standard 94 kg/ 4 Castors 103 kg Shipping Weight: Table Weight + 50 kg Shipping Dimensions\*: 220 cm x 85 cm x 77 cm Lifting Capacity: 200 fkg

Upholstery Color Options				
Ecru-Crème (x = 00)	Beige (x = 01)	Blue (x = 02)		
Navy Blue	Terra Cotta	Chocolate		
(x = 03)	(x = 04)	(x = o5)		
Gray	Graphite Gray	Black		
(x = 06)	(x = 07)	(x = 08)		

51 - 96 cm

Height Adjustment:

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general

For ordering purposes, please use model number, hyphen, upholstery color number as indicated in the chart above.

## **Ordering Information Part Number** Description Accessories (A) Paper Roll Holder for the 3110GALXYPPRHLDR Galaxy Tables 3711-xx (B) Traction Supports (2 pack) (C) Stabilization Belt 3713 (D) Kaltenborn Wedge 3714-xx (E1) Wedge 3715-xx (E2) Wedge 3716-xx (F1) Bolster 3717-xx (F2) Bolster 3718-xx (F<sub>3</sub>) Bolster

Upholstery Color Options				
Ecru-Crème	Beige	Blue		
(x = 00)	(x = 01)	(x = 02)		
Navy Blue	Terra Cotta	Chocolate		
(x = 03)	(x = 04)	(x = o5)		
Gray	Graphite Gray	Black		
(x = 06)	(x = 07)	(x = 08)		

NOTICE: Color charts are produced within the limitations of lithographic color printing and are intended as a general guide only.


For ordering purposes, please use model number, hyphen, upholstery color number as indicated in the chart above.

## Accessories



















## **Product features:**

- A Paper Roll Holder Holds paper rolls up to 60 cm wide
- **B** Traction Supports Mechanical traction supports
- C Stabilization Belt Available in black, this stabilization belt attaches to side brackets (available on most models)
- D Kaltenborn Wedge For use by professionals trained in manual mobilization techniques.
- E1 & E2 Wedge Wedges and Bolsters are used to reinforce the correct positioning of the patient during treatment.
- F1, F2 & F3 Bolster

## Warranty

DJO, LLC ("Company"), warrants that the Galaxy Tables ("Products") are free of defects in material and workmanship. This warranty shall remain in effect for two years (24 months) for the cushions and three years (36 months) for the base frame and motor from the date of original consumer purchase. If this Product fails to function during the warranty period due to a defect in material or workmanship, at the Company's option, the Company or selling dealer will repair or replace this Product without charge within a period of thirty days from the date on which the Product is returned to the Company or the dealer.

All repairs to the Product must be performed by a service center certified by the Company. Any modifications or repairs performed by unauthorized centers or groups will void this warranty.

## This Warranty Does Not Cover:

- Replacement parts or labor furnished by anyone other than the Company, the selling dealer, or a service technician certified by the Company.
- Defects or damage caused by labor furnished by someone other than Company, the selling dealer, or a certified Company service technician.
- Any malfunction or failure in the Product caused by product misuse, including, but not limited to, the failure to provide reasonable and required maintenance or any use that is inconsistent with the Product User Manual.

DJO, LLC is not responsible for injury or damage resulting from modifications or service performed by non-authorized DJO, LLC service personnel.

## COMPANY SHALL NOT BE LIABLE IN ANY EVENT FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Some locations do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

To obtain service from Company or the selling dealer under this warranty:

- 1. A written claim must be made within the warranty period to the Company or the selling dealer.
- 2. The Product must be returned to the Company or the selling dealer by the owner.

This warranty gives you specific, legal rights and you may also have other rights which vary from location to location.

The Company does not authorize any person or representative to create for it any other obligation or liability in connection with the sale of the Product

Any representation or agreement not contained in the warranty shall be void and of no effect.

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES. EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Galaxy Tables are manufactured by Meden-Inmed Sp. z o.o. exclusively for Chattanooga. A DJO Global Company.



## DJO GLOBAL

### CANADA:

### FRANCE:

## GERMANY:

E: vendite@DJOglobal.com

### **SOUTH AFRICA:**

E: ventas@DJOglobal.com

## UK & IRELAND:

## **UNITED STATES:**

## DJO GLOBAL, EXPORT CENTRES

Unit 1905, 19/F, Tower II

## EUROPE, MIDDLE EAST & AFRICA:

## **LATIN AMERICA:**



190, Boul. St-Elzéar Ouest, Laval (Québec) H7L 3N3 T 450 669.8985 | 1 800 361.0877 F 450 669.9532 | 1888 935.7001

www.medicaltronik.ca

