maxill

SAFETY DATA SHEET

1. Product and Company Identification

| Product identifier | tb Minuteman NEX-GEN DISINFECTANT, tb Minuteman NEX-GEN DISINFECTANT WIPES |
|---------------------------------|--|
| Other means of identification | Not available |
| Recommended use | Hard Surface Disinfectant |
| Recommended restrictions | None known. |
| Manufacturer information | maxill Inc. 80 Elm Street St. Thomas, ON N5R 6C8 CA Phone: 519-631-7370 Fax: 519-631-3388 Website: maxill.com |
| Supplier | maxill Inc 500 West Main Street Cortland, OH 44410 US Phone:1-855-462-9455 |
| Emergency Response Number | ChemTel: 1-800-255-3924, outside US and Canada, 1-813-248-0585 CANUTEC: 613-996-6666 |

2. Hazards Identification

| | 2. Hazards identification | 1 | |
|--------------------------------|--|-----------------------------|--|
| Physical hazards | Flammable liquids | Category 3 | |
| Health hazards | Acute toxicity, dermal | Category 4 | |
| | Skin corrosion/irritation | Category 2 | |
| | Serious eye damage/eye irritation | Category 2 | |
| | Specific target organ toxicity, single exposure | Category 3 narcotic effects | |
| Environmental hazards | Not classified. | | |
| WHMIS 2015 defined hazards | Not classified | | |
| Label elements | | | |
| | | | |
| Signal word | Warning | | |
| Hazard statement | Flammable liquid and vapor. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. | | |
| Precautionary statement | | | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist or vapor. Use only outdoors or in a well-ventilated area. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection. | | |
| Response | In case of fire: Use appropriate media to extinguish. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if preser and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. | | |

| Storage | Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep cool. |
|---|--|
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) | None known |
| WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) | None known |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | This is a registered EPA product. The product labeling is in compliance with EPA regulations and guidelines. |

3. Composition/Information on Ingredients

| Mixture | | | |
|---------------------------------------|---|---------------------------------|---------------------|
| Chemical name | Common name and synonyms | CAS number | % |
| Isopropanol | | 67-63-0 | 10 - 30 |
| Ethanol | | 64-17-5 | 5 - 10 |
| Ethanol, 2-butoxy- | | 111-76-2 | 3 - 7 |
| Didecyl dimethyl ammonium chloride | | 7173-51-5 | 0.5 - 1.5 |
| Composition comments | US GHS: The exact percentage (concentration secret in accordance with paragraph (i) of §19 | | withheld as a trade |
| | Not applicable to DIN products. Refer to prod | uct label for active ingredient | content. |
| | 4. First Aid Measures | | |
| Inhalation | IF INHALED: Remove person to fresh air and CENTER/doctor if you feel unwell. | keep comfortable for breath | ing. Call a POISON |
| Skin contact | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. If ski irritation occurs: Get medical advice/attention. Specific treatment (see information on this label). | | |

| | Take off contaminated clothing and wash it before reuse. |
|--|---|
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Ingestion | Rinse mouth. Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention. |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. |
| Indication of immediate medical attention and special treatment needed | Symptoms may be delayed. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to |

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep away from sources of ignition. No smoking. Avoid contact with eyes and skin. Wear protective gloves/eye protection/face protection. Wash contaminated clothing before reuse. Keep out of reach of children.

5. Fire Fighting Measures

| Suitable extinguishing media | Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide. |
|--|--|
| Unsuitable extinguishing media | Not available. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. |
| Special protective equipment and precautions for firefighters | Firefighters should wear full protective clothing including self contained breathing apparatus. |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | Flammable liquid and vapor. |

6. Accidental Release Measures

| Personal precautions, protective equipment and emergency procedures | Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|--|
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Never return spills in original containers for re-use. Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Do not discharge into lakes, streams, ponds or public waters. |
| | 7. Handling and Storage |
| Precautions for safe handling | Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes, skin and clothing. Avoid breathing mist or vapor. Use only with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash thoroughly after handling. When using do not eat or drink. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS). Keep out of the reach of children. |

8. Exposure Controls/Personal Protection

Occupational exposure limits

| Components | Туре | Value | |
|--------------------------------------|------|------------------------|--|
| Ethanol (CAS 64-17-5) | TWA | 1880 mg/m3 1000 ppm | |
| Ethanol, 2-butoxy- (CAS 111-76-2) | TWA | 97 mg/m3 20 ppm | |
| Isopropanol (CAS 67-63-0) | STEL | 984 mg/m3 400 ppm | |
| | TWA | 492 mg/m3 200 ppm | |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Туре | Value | |
|--------------------------------------|------|----------|--|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm | |
| Ethanol, 2-butoxy- (CAS 111-76-2) | TWA | 20 ppm | |
| lsopropanol (CAS 67-63-0) | STEL | 400 ppm | |
| | TWA | 200 ppm | |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Туре | Value | |
|--------------------------------------|------|----------|--|
| Ethanol (CAS 64-17-5) | STEL | 1000 ppm | |
| Ethanol, 2-butoxy- (CAS 111-76-2) | TWA | 20 ppm | |
| lsopropanol (CAS 67-63-0) | STEL | 400 ppm | |
| | TWA | 200 ppm | |

| Canada. Ontario OELs. (C Components | Туре | - | | Value |
|--|----------------------------------|--|------------|-----------------------------------|
| Ethanol (CAS 64-17-5) | STEL | - | | 1000 ppm |
| Ethanol, 2-butoxy- (CAS 111-76-2) | TWA | | | 20 ppm |
| Isopropanol (CAS 67-63-0) | STEL | - | | 400 ppm |
| | TWA | | | 200 ppm |
| Canada. Quebec OELs. (N Components | linistry of Labor - Regu Type | | - | of the Work Environment) Value |
| Ethanol (CAS 64-17-5) | TWA | | | 1880 mg/m3 1000 ppm |
| Ethanol, 2-butoxy- (CAS 111-76-2) | TWA | | | 97 mg/m3 |
| , | | | : | 20 ppm |
| Isopropanol (CAS 67-63-0) | STEL | - | | 1230 mg/m3 500 ppm |
| | TWA | | | 983 mg/m3 400 ppm |
| US. OSHA Table Z-1 Limit Components | s for Air Contaminants Type | | | Value |
| Ethanol (CAS 64-17-5) | PEL | | | 1900 mg/m3 |
| | I LL | | | 1000 ppm |
| Ethanol, 2-butoxy- (CAS 111-76-2) | PEL | | | 240 mg/m3 |
| , | | | | 50 ppm |
| Isopropanol (CAS 67-63-0) | PEL | | | 980 mg/m3 400 ppm |
| US. ACGIH Threshold Lim | nit Values | | | |
| Components | Туре | | , | Value |
| Ethanol (CAS 64-17-5) | STEL | _ | | 1000 ppm |
| Ethanol, 2-butoxy- (CAS 111-76-2) | TWA | | | 20 ppm |
| Isopropanol (CAS 67-63-0) | STEL | | | 400 ppm |
| | TWA | | | 200 ppm |
| US. NIOSH: Pocket Guide | to Chemical Hazards | | | |
| Components | Type | | , | Value |
| Ethanol (CAS 64-17-5) | TWA | | | 1900 mg/m3 1000 ppm |
| Ethanol, 2-butoxy- (CAS 111-76-2) | TWA | | | 24 mg/m3 |
| | | | | 5 ppm |
| Isopropanol (CAS 67-63-0) | STEL | - | | 1225 mg/m3 500 ppm |
| | TWA | | | 980 mg/m3 400 ppm |
| ogical limit values | | | | |
| ACGIH Biological Exposu Components | re Indices Value | Determinant | Specimen | Sampling Time |
| • | | | Creatinine | samping rine |
| Ethanol, 2-butoxy- (CAS 111-76-2) | 200 mg/g | Butoxyacetic acid (BAA), with hydrolysis | in urine | |
| Isopropanol (CAS 67-63-0) | 40 mg/L | Acetone | Urine | * |
| * - For sampling details, ple | aca cao tha cource docu | mont | | |

* - For sampling details, please see the source document.

Exposure guidelines

Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

| US. NIOSH: Pocket Guide to Ethanol, 2-butoxy- (CAS US. OSHA Table Z-1 Limits f | | Can be absorbed through the skin. 1910.1000) | |
|--|--|---|--|
| Ethanol, 2-butoxy- (CAS ² | 111-76-2) | Can be absorbed through the skin. | |
| Appropriate engineering controls | Ensure adequate ventilation. | | |
| Individual protection measures, | such as personal protective ed | quipment | |
| Eye/face protection | Wear eye protection as appropriate. | | |
| Skin protection Hand protection | Impervious gloves. Nitrile or B | utvl rubber. | |
| Other | As required by employer code | | |
| Respiratory protection | Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. | | |
| Thermal hazards | Not applicable. | | |
| General hygiene considerations | 0 | od industrial hygiene and safety practice. Wash hands before breaks g the product. When using do not eat or drink. | |

9. Physical and Chemical Properties

| Appearance | Solution, Towel saturated with colorless liquid | |
|---|---|--|
| Physical state | Liquid. | |
| Form | Liquid. | |
| Color | Colorless liquid on a towel material. | |
| Odor | cohol - like | |
| Odor threshold | t available. | |
| рН | Not available. | |
| pH concentration | 9.4 | |
| Melting point/freezing point | Not available. | |
| Initial boiling point and boiling range | Not available. | |
| Pour point | Not available. | |
| Specific gravity | 0.97 g/mL @ 20C | |
| Partition coefficient (n-octanol/water) | Not available. | |
| Flash point | 88.2 °F (31.2 °C) | |
| Evaporation rate | Not available. | |
| Flammability (solid, gas) | Not applicable. | |
| Upper/lower flammability or exp | losive limits | |
| Flammability limit - lower (%) | Not available. | |
| Flammability limit - upper (%) | Not available. | |
| Explosive limit - lower (%) | Not available. | |
| Explosive limit - upper (%) | Not available. | |
| Vapor pressure | Not available. | |
| Vapor density | Not available. | |
| Relative density | Not available. | |
| Solubility(ies) | Not available. | |
| Auto-ignition temperature | Not available. | |
| Decomposition temperature | Not available. | |
| Viscosity | 3.1 cSt @ 20C. 1.6 cSt @ 40C | |
| | 10. Stability and Reactivity | |
| Reactivity | May react with incompatible materials. | |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. | |
| | | |

| Chemical stability | Stable under recommended storage conditions. |
|---------------------|--|
| Conditions to avoid | Avoid temperatures exceeding the flash point. Do not mix with other chemicals. |

Strong oxidizing agents. Acids. Isocyanates. Chlorine. May include and are not limited to: Oxides of carbon.

11. Toxicological Information

| Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion. | | |
|---|--|--|
| Information on likely routes of ex | posure | |
| Ingestion May cause stomach distress, nausea or vomiting. | | |
| Inhalation | Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. | |
| Skin contact | Harmful in contact with skin. | |
| Eye contact | Causes serious eye irritation. | |
| Symptoms related to the physical, chemical and toxicological characteristics | Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. | |

Information on toxicological effects

Acute toxicity Harmful in contact with skin.

| Components | Species | Test Results | |
|----------------------------|----------------------------|---------------------|--|
| Didecyl dimethyl ammoniun | n chloride (CAS 7173-51-5) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | 500 mg/kg | |
| Inhalation | | | |
| LC50 | Not available | | |
| Oral | | " | |
| LD50 | Mouse | 268 mg/kg | |
| | Rat | 84 mg/kg | |
| Ethanol (CAS 64-17-5) | | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Rabbit | > 15800 mg/kg | |
| Inhalation | N4 | 20 | |
| LC50 | Mouse | 39 mg/L, 4 Hours | |
| | Rat | 31623 ppm, 4 Hours | |
| | | 20000 ppm, 10 Hours | |
| | | 64.1 mg/l/4h | |
| Oral | _ | | |
| LD50 | Dog | 5500 mg/kg | |
| | Guinea pig | 5600 mg/kg | |
| | Mouse | 3450 mg/kg | |
| | Rat | 7060 mg/kg | |
| Ethanol, 2-butoxy- (CAS 11 | 1-76-2) | | |
| Acute | | | |
| Dermal | | | |
| LD50 | Guinea pig | 207 mg/kg | |
| | Rabbit | 400 mg/kg | |
| | | 220 mg/kg | |
| | | 99 mg/kg | |
| | Rat | 99 mg/kg | |
| Inhalation | | | |
| LC50 | Mouse | 700 ppm, 7 Hours | |
| | Rat | 450 ppm, 4 Hours | |
| | | 2.2 mg/L, 4 Hours | |
| Oral | | - | |
| LD50 | Guinea pig | 1200 mg/kg | |

| Components | Species | Test Results |
|--|-------------------------------------|---|
| | Mouse | 1200 mg/kg |
| | Rabbit | 320 mg/kg |
| | Rat | 470 mg/kg |
| sopropanol (CAS 67-63-0) | | |
| Acute | | |
| Dermal | | 40000 |
| LD50 | Rabbit | 12800 mg/kg |
| Inhalation LC50 | Rat | 16970 mg/l/4h |
| Oral | Nai | 10970 mg///4m |
| LD50 | Dog | 4797 mg/kg |
| 2000 | Mouse | 3600 mg/kg |
| | Rabbit | 5030 mg/kg |
| | Rat | 4396 mg/kg |
| | | 4390 mg/kg |
| Skin corrosion/irritation | Causes skin irritation. | |
| Exposure minutes | Not available. | |
| Erythema value | Not available. | |
| Oedema value | Not available. | |
| Serious eye damage/eye rritation | Causes serious eye irritation. | |
| Corneal opacity value | Not available. | |
| Iris lesion value | Not available. | |
| Conjunctival reddening value | Not available. | |
| Conjunctival oedema value | Not available. | |
| Recover days | Not available. | |
| Respiratory or skin sensitizatio Canada - Alberta OELs: Irri | | |
| Ethanol, 2-butoxy- (CAS | 111-76-2) | Irritant |
| Respiratory sensitization | Not available. | |
| Skin sensitization | Not classified. | |
| Mutagenicity | Not classified. | |
| Carcinogenicity | Not classified. | |
| ACGIH Carcinogens | | |
| Ethanol, 2-butoxy- (CAS | | A3 Confirmed animal carcinogen with unknown relevance to humans. |
| Isopropanol (CAS 67-63 Canada - Manitoba OELs: c | | A4 Not classifiable as a human carcinogen. |
| 2-BUTOXYETHANOL (EGBE) (CAS 111-76-2) 2-PROPANOL (CAS 67-63-0) | | Confirmed animal carcinogen with unknown relevance to humans Not classifiable as a human carcinogen. |
| ETHANOL (CAS 64-17-3 IARC Monographs, Overall | 5) Evaluation of Carcinogenicity | Confirmed animal carcinogen with unknown relevance to humans |
| Ethanol (CAS 64-17-5) | gonolly | Volume 44, Volume 96, Volume 100E |
| Ethanol, 2-butoxy- (CAS | 111-76-2) | Volume 96, Volume 100E Volume 88 - 3 Not classifiable as to carcinogenicity to humans. |
| | ulated Substances (29 CFR 191 | |
| Reproductive toxicity | Not classified. | |
| Feratogenicity | Not classified. | |
| Specific target organ toxicity - single exposure | Narcotic effects. | |
| • | Not classified. | |
| | | |
| Specific target organ toxicity - repeated exposure Aspiration hazard | Not classified. | |

12. Ecological Information

| Ecotoxicity | See below | | |
|---|--|---|--|
| Ecotoxicological data | | | |
| Components | | Species | Test Results |
| Didecyl dimethyl ammonium chlo | | - | 0.001 0.01 // 001 |
| Fish | LC50 | White sturgeon (Acipenser transmontanus) | 0.001 - 0.01 mg/L, 96 hours |
| Ethanol (CAS 64-17-5) | | | |
| Crustacea | EC50 | Daphnia | 11744.5 mg/L, 48 Hours |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | 7.7 - 11.2 mg/L, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | > 100 mg/L, 96 hours |
| Ethanol, 2-butoxy- (CAS 111-76-2 | 2) | | |
| Crustacea | EC50 | Daphnia | 1819 mg/L, 48 Hours |
| Aquatic | | | |
| Fish | LC50 | Inland silverside (Menidia beryllina) | 1250 mg/L, 96 hours |
| sopropanol (CAS 67-63-0) | | | |
| Algae | IC50 | Algae | 1000 mg/L, 72 Hours |
| Crustacea | EC50 | Daphnia | 13299 mg/L, 48 Hours |
| Aquatic | - | | U , - |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | > 1400 mg/L, 96 hours |
| | | | . 100 mg/L, 00 moulo |
| Persistence and degradability | | vailable on the degradability of this product. | |
| Bioaccumulative potential | No data avai | | |
| Mobility in soil | No data avai | | |
| Mobility in general | Not available | | |
| Other adverse effects | | erse environmental effects (e.g. ozone deple docrine disruption, global warming potential) | |
| | | 13. Disposal Considerations | |
| Disposal instructions | • | ontents/container in accordance with local/re | gional/national/international regulations. |
| Local disposal regulations | • | ccordance with all applicable regulations. | |
| Hazardous waste code | disposal com | | |
| Waste from residues / unused products | be disposed | ners or liners may retain some product resic of in a safe manner (see: Disposal instructio | ns). |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. | | |
| | | 14. Transport Information | |
| Transport of Dangerous Goods (TDG) Proof of Classification | | e with Part 2.2.1 (SOR/2014-152) of the Tra we certify that the classification of this produ | |
| U.S. Department of Transportat | tion (DOT) | | |
| Not regulated as dangerous | . , | | |
| 49 CFR 173.150 (e)- Aqueou Transportation of Dangerous G | us solutions of al | | |
| Not regulated as dangerous | goods. | | |
| | | everage and Aqueous Solution of Alcohol E | xemption SOR/2008-34 (a)(i) |
| | | 15. Regulatory Information | |
| Canadian federal regulations | | has been classified in accordance with the he information required by the HPR. | nazard criteria of the HPR and the SDS |
| | DIN 0248898 | 31, DIN 02488973 | |
| Canada CEPA Schedule I: | Listed substand | ce | |
| Ethanol, 2-butoxy- (CAS | | Listed. | |
| | dditional Repor | ting Requirements: Mass reporting thresl | hold/Identification Number |
| Ethanol (CAS 64-17-5) | | 1 TONNES | |
| MD DEE 611609 | | Page: 8 of 10 | Issue date: 20 November |

| Ethanol, 2-butoxy- (CAS 1 Isopropanol (CAS 67-63-0 Canada Priority Substances Ethanol, 2-butoxy- (CAS 1 |)) List (Second List): Listed su | 1 TONNES 1 TONNES bstance Listed. | |
|---|---|--|---|
| Export Control List (CEPA 1 | | | |
| Not listed. Greenhouse Gases | | | |
| Not listed. Precursor Control Regulatio | ns | | |
| Not regulated. | Evenuet | | |
| WHMIS 2015 Exemptions | Exempt | Chamical" as defined | by the OSHA Hazard Communication |
| US federal regulations | Standard, 29 CFR 1910.1200 | | |
| | Agency and is subject to certa requirements differ from the c sheets (SDS), and for workpl | ain labeling requireme lassification criteria a ace labels of non-pes l is reproduced below | he United States Environmental Protection ents under federal pesticide law. These nd hazard information required for safety data ticide chemicals. The hazard information . The pesticide label also includes other |
| | | estic animals. e eye irritation. Avoid o | contact with eyes and clothing. Wash thoroughly ing and drinking, chewing gum, using tobacco or |
| TSCA Section 12(b) Export N Not regulated. CERCLA Hazardous Substan Ethanol, 2-butoxy- (CAS 1 Isopropanol (CAS 67-63-0 US. OSHA Specifically Regu Not listed. | nce List (40 CFR 302.4) 11-76-2))) | Listed. Listed. | |
| Superfund Amendments and Rea | authorization Act of 1986 (SA | RA) | |
| Hazard categories | Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No | | |
| SARA 302 Extremely hazardous substance | No | | |
| SARA 311/312 Hazardous chemical | No | | |
| SARA 313 (TRI reporting) | | | |
| Chemical name | | CAS number | % by wt. |
| Isopropanol Ethanol, 2-butoxy- | | 67-63-0 111-76-2 | 10 - 30 3 - 7 |
| Other federal regulations Clean Air Act (CAA) Section | 112 Hazardous Air Pollutants | s (HAPs) List | |
| | 112(r) Accidental Release Pr | evention (40 CFR 68 | .130) |
| Not regulated. | | | |
| US state regulations | See below | | |
| | us Substances (Director's): L | | |
| Ethanol (CAS 64-17- | | Listed. | |
| Ethanol, 2-butoxy- (C Isopropanol (CAS 67 US - Illinois Chomical Sa | | Listed. Listed. | |
| Ethanol (CAS 64-17-4 Ethanol, 2-butoxy- (C Isopropanol (CAS 67- | 5) AS 111-76-2) | | |

| | US - Louisiana Spill Reporting: Listed substance | |
|-----|---|---|
| | Ethanol (CAS 64-17-5) | Listed. |
| | Ethanol, 2-butoxy- (CAS 111-76-2) | Listed. |
| | Isopropanol (CAS 67-63-0) US - Minnesota Haz Subs: Listed substance | Listed. |
| | | |
| | Ethanol (CAS 64-17-5) Ethanol, 2-butoxy- (CAS 111-76-2) | Listed. Listed. |
| | Isopropanol (CAS 67-63-0) | Listed. |
| | US - New Jersey RTK - Substances: Listed substa | |
| | Ethanol (CAS 64-17-5) | |
| | Ethanol, 2-butoxy- (CAS 111-76-2) | |
| | Isopropanol (CAS 67-63-0) | |
| | US - Texas Effects Screening Levels: Listed subs | tance |
| | Didecyl dimethyl ammonium chloride (CAS 7173-51-5) | Listed. |
| | Ethanol (CAS 64-17-5) | Listed. |
| | Ethanol, 2-butoxy- (CAS 111-76-2) | Listed. |
| | Isopropanol (CAS 67-63-0) | Listed. |
| | US. Massachusetts RTK - Substance List | |
| | Ethanol (CAS 64-17-5) | |
| | Ethanol, 2-butoxy- (CAS 111-76-2) | |
| | Isopropanol (CAS 67-63-0) | |
| | US. New Jersey Worker and Community Right-to- | Know Act |
| | Ethanol, 2-butoxy- (CAS 111-76-2) | |
| | Isopropanol (CAS 67-63-0) | |
| | US. Pennsylvania Worker and Community Right-t | O-KIIOW Law |
| | Ethanol (CAS 64-17-5) | |
| | Ethanol, 2-butoxy- (CAS 111-76-2) Isopropanol (CAS 67-63-0) | |
| | US. Rhode Island RTK | |
| | | |
| | Ethanol, 2-butoxy- (CAS 111-76-2) Isopropanol (CAS 67-63-0) | |
| US. | California Proposition 65 | |
| | California Safe Drinking Water and Toxic Enforcemer any chemicals currently listed as carcinogens or repro | nt Act of 1986 (Proposition 65): This material is not known to contain oductive toxins. |
| | votatuo | |

Inventory status

| Country(s) or region | Inventory name C | On inventory (yes/no)* |
|------------------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |
| *A "Yes" indicates that all compon | ents of this product comply with the inventory requirements administered by the governing | g country(s) |

| LEGEND | HEALTH * 2 |
|---|---|
| Severe4Serious3Moderate2Slight1Minimal0 | FLAMMABILITY 3 2 0 |
| Disclaimer | Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document. |
| Issue date | 20-November-2019 |
| Version # | 01 |
| Effective date | 20-November-2019 |
| Other information | For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document. |

16. Other Information